

FIG. 1




FIG. 2




FIG. 3




FIG. 4

The screenshot shows a software window titled "New" with a menu bar containing "File", "Edit", "Save", "Cancel", "New Visit", "Delete", "Labels", and "Report". Below the menu bar is a toolbar with buttons for "Client", "Points", "Filters", and "Print". The main area contains a form for entering patient information. On the left, there are fields for "Last Name", "First Name" (with a dropdown arrow), and "Middle Name" (with a dropdown arrow). Below these is a "Visits" section with a table that has two columns: "Visit" and "Date". The table is currently empty. On the right side of the form, there is an "Address" field with a dropdown arrow showing "30", a "Gender" section with radio buttons for "M" and "F", and a series of stacked text input fields for "Address", "City", "State", "Zip Code", and "Phone".

FIG. 5




FIG. 6A




FIG. 6B




FIG. 7




FIG. 8






FIG. 9

10 / 34




FIG. 10




FIG. 11

12 / 34




FIG. 11

13 / 34




FIG. 13A

14 / 34




FIG. 13B




FIG. 13C





FIG. 14





**FIG. 15**

18 / 34




FIG. 16

FIG. 17

20 / 34




FIG. 18

21 / 34




FIG. 19




FIG. 20

File Scan Tools Antidotes Add Test Profiles

Back Forward Scan (F5) Find (F7) Test (F8)

Client: Points: Filters: Plan:

Prescribed Filters

Filter	Remedy	Duration	Quantity	Duration
1. Filter	Filter	Qty	Qty	
2. Filter	Filter	Qty	Qty	
3. Filter	Filter	Qty	Qty	

Antidotes

Antidotes	Filter (v)	Status
1. Antidote	1. Filter	1. Status
2. Antidote	2. Filter	2. Status
3. Antidote	3. Filter	3. Status

Product Description

Calculus Substances - Suppurative, purulent and serous discharges, thick, white, yellow-green or blood-stained mucus. Also tends to form long, suppurative strands. Mucous, white, green, yellow, red, brown, black and white. Externa and foris granular swellings, cysts, tumors, keratosis, suppurative processes, etc. after use has been found in nose, throat, pharynx, larynx, trachea, bronchi, lungs, pleura, pericardium, peritonitis, cystitis, gonorrhea, etc.

FIG. 21

The screenshot displays a medical diagnostic software interface. At the top, a menu bar includes 'File', 'Scan Data', 'Analyze/Report', 'Help', 'Exit', and 'Options'. Below the menu is a toolbar with icons for 'Back', 'Forward', 'Scan (F7)', 'Find (F7)', and 'Test (F8)'. The main window is titled 'Find Remedy' and shows 'Results - 24'. A search bar on the left contains the text '580'. The search results are displayed in a table with columns for 'Remedy Name', 'Description', and 'Indications'. The first result is '580' with the description 'A unique formula for drainage of lymphatic system'. The second result is '584' with the description 'A unique formula for drainage of lymphatic system'. The third result is '588' with the description 'A unique formula for drainage of lymphatic system'. The interface also includes a 'Search Options' section on the left and a 'Results' section on the right. The 'Search Options' section includes a 'Search All' button and a 'Search' button. The 'Results' section includes a 'Back' button and a 'Close' button. The interface is designed for medical professionals to search for remedies based on specific criteria.

Remedy Name	Description	Indications
580	A unique formula for drainage of lymphatic system	Indications: For temporary relief of edema, swelling, inflammation, etc.
584	A unique formula for drainage of lymphatic system	
588	A unique formula for drainage of lymphatic system	

**FIG. 22**





26 / 34




FIG. 24

27 / 34

File Scan Tools Antidialogue Add Test Options

Add Back Forward Scan (F7) Find (F7) Test (F8)

Client Points Filters Plan

Formatted Filters

Filter	Remedy	Dilution	Quanta	Duration
1 <input checked="" type="checkbox"/> Cortical Alcohol	Ally	Ally		
2 <input checked="" type="checkbox"/> Cortical Alcohol	Homestead	2 Weeks		
3 <input checked="" type="checkbox"/> Cortical Alcohol	Homestead	2 Weeks		
4 <input checked="" type="checkbox"/> Cortical Alcohol	Homestead	2 Weeks		

Amplifiers

Level 1 ☐ Level 2 ☐ Level 3 ☐ Level 4 ☐ Level 5 ☐ Residual ☐

Status Points

Graphs ☐ Print

Effectiveness and toleration filters activated

Drop Calculate Prints

Close

644

Product Description

Cortical Alcohol - This substance is in complex and formulated products and is not called for prior ailments, dust and mold ailments, skin rashes, congestion, headaches, seizures, and others. Cortical Alcohol is in the following foods: asparagus, corn, sugarbeet, sugar, and yeast mix.

640

Mac  Rate

FIG. 25




FIG. 26

29 / 34




FIG. 27

30 / 34




FIG. 28A

31 / 34




FIG. 28B

32 / 34





FIG. 29








FIG. 31